UNCLASSIFIED

AD NUMBER AD838910 LIMITATION CHANGES TO: Approved for public release; distribution is unlimited. FROM: Distribution authorized to U.S. Gov't. agencies and their contractors; Critical Technology; JUN 1968. Other requests shall be referred to Naval Postgraduate School, Monterey, CA 93940. This document contains export-controlled technical data. **AUTHORITY** USNPS ltr, 16 Nov 1971

UNITED STATES NAVAL POSTGRADUATE SCHOOL



THESIS

IDENTIFICATION OF VOLATILE REACTOR FUEL DECOMPOSITION
PRODUCTS BY GAS CHROMATOGRAPHY AND SPECTRAL ANALYSIS

bу

Leslie Winfred Cole

SEP 6

969

June 1968

This document is subject to special export controls and each transmittal to foreign government or foreign nationals may be made only with prior approval of the U. S. Naval Postgraduate School.

ade 23, monteny, Culig 93940

IDENTIFICATION OF VOLATILE REACTOR FUEL DECOMPOSITION PRODUCTS BY GAS CHROMATOGRAPHY AND SPECTRAL ANALYSIS

bу

Leslie Winfred Cole Major, United States Army B.S., East Tennessee State University, 1958

Submitted in partial fulfillment of the requirements for the degree of

MASTER OF SCIENCE IN CHEMISTRY

from the

NAVAL POSTGRADUATE SCHOOL June 1968

Signature of Author Leske W Cole

Approved by

Thesis Advisor

Chairman, Department of Material Science and Chemistry

W. F. Keehler for R. F. Rinebart
Academic Dean

ABSTRACT

The gases produced by irradiation of the polyethylene moderated fuel used in the AGN-201 reactor at the Naval Post-graduate School were analyzed for both radioactive and non-radioactive species. The hydrogen content of the gases is higher than that reported in the literature for the radio-induced degradation of polyethylene. Radioactive species identified are Kr^{85m}, Kr⁸⁷, Kr⁸⁸, Xe^{133m}, Xe¹³³, Xe¹³⁵, Xe¹³⁸, I¹³¹, and Cs¹³⁸. Trace quantities of krypton and xenon were successfully separated without isotopic dilution using gas-solid chromatography.

TABLE OF CONTENTS

			Page
1.	Int	troduction	9
2.	Exp	Experimental	
	a.	Production of Gases	10
	Ъ.	Measurement of Non-radioactive Species	11
	c.	Measurement of Radioactive Species	12
3.	Results		13
	a.	Non-radioactive Species	13
	ъ.	Radioactive Species	17
4.	Dis	cussion	21
	a.	Proposed Mechanism of Polyethylene Degradation	21
	Ъ.	Separation of Xenon and Krypton in Trace Quantities	26
	c.	Identification of Halogens that may be Present	26
5.	Con	clusions	27
APP	ENDI	x I	30

LIST OF TABLES

		Page
TABLE		
I.	Calculated Proportions of Various Hydrocarbons and Hydrogen in Reactor Fuel Decomposition Products	14
II.	Radioactive Species Identified in the Reactor Fuel Decomposition Products	24

LIST OF ILLUSTRATIONS

Figur	e e	Page
1.	Chromatogram of Reactor Fuel Decomposition Products as Measured by Laskaris	15
2.	Chromatogram of Reactor Fuel Decomposition Products as Measured in This Study	16
3.	Chromatogram of Radioactive Species	18
4.	Gamma Ray Spectrum of Krypton Trapped After Chromatographic Separation	19
5.	Gamma Ray Spectrum of Xenon Trapped After Chromatographic Separation	20
6.	Gamma Ray Spectra of Species Not Eluted from Charcoal During Gas Chromatographic Separation	22
7.	Gamma Ray Spectrum of Species Not Eluted from Charcoal During Gas Chromatographic Separation Measured. 6 Days After Separation	23

ACKNOWLEDGEMENTS

The guidance and encouragement rendered by Dr. W. W. Hawes is greatly appreciated. His enthusiasm and counseling were instrumental in bringing this project to a successful completion. Also Capt. Larry A. Lindsey's efforts in keeping the project moving forward are gratefully recognized.

Thanks are also due Mr. Harold McFarland, reactor operator, for his advice and help in the operation of most of the equipment used.

1. Introduction

The polyethylene moderated core of the AGN-201 Nuclear Reactor at the Naval Postgraduate School emits relatively large amounts of gases during and shortly after operation. These gases are subsequently released into the atmosphere. Measuring the constituents of these gases has presented numerous problems to past investigators. The various constituents are gaseous hydrocarbons, fission products, and possibly hydrocarbon-fission product compounds. The reactor fuel, 20% enriched UO₂, is distributed throughout the polyethylene.

Operation of the reactor decomposes the polyethylene by radiation and recoil of fission products.

The reactor core and rod voids are pressurized with nitrogen to approximately 1 psig when the reactor is operated. The gas is released periodically so that the total pressure in the core does not exceed 5 psig. The pressure rise is caused by the gaseous products from the degradation of the polyethylene. The radio-activity present in the gas is due to the gaseous fission products which have escaped from the core, but the small amount of these fission products do not add to the pressure.

Several investigators have reported that the bulk of the gas from the radioinduced degradation of polyethylene is hydrogen (1). Laskaris (2), using the same equipment available to this investigator, found that the hydrogen content of the gases was only approximately 50% of the total, with the remainder being light hydrocarbons to C₄. Laskaris also attempted to determine the radioactive constituents by simultaneous gas chromatographic and radioactivity measurements of the gases. He successfully identified some of these constituents.

Laskaris and others at the Naval Postgraduate School (3,4,5) used gases taken directly from the core of the reactor. The reactor configuration requires the gases to diffuse from the relatively large, solid care through approximately 12 feet of cooper tubing to a sampling manifold. The time necessary for this diffusion effectively prevents measurement of any of the parameters of the gases for several minutes. Additionally, the long copper tube offers a good surface for absorption and perhaps reaction of active species. The gases continue to diffuse from the large core for several hours after a reactor operation. Thus, at any time, there are gases present in the core produced by a prior reaction operation. The effect of the later irradiations on the gases is unknown. It was felt that the hydrocarbon content of the gases was likely to be sensitive to later irradiations.

Further analysis of the gases seemed in order, both to check the drastic deviation in regard to the proportion of Typrogen in the gases emitted from the reactor fuel and to more completely identify the resionactive constituents.

2. Experimental

a. Production of gases

In order to evaluate the gases resulting from a particular reactor operation, a small reaction vessel was constructed. This

Most of the work was done concurrently with Capt. L. A. Lindsay, US Army, whose thesis concerned the analysis of the same gases through a series of half-life studies on individual photopeaks of the radio-active species.

ruel identical to that in the core of the reactor was placed in the reaction vessel. The vessel was evacuated to 10^{-4} mm, and irradiated to ortain sufficient gases for analysis. The reactor fuel was evacuated prior to each irradiation to insure that only gases emitted during a single reactor operation were included in the study. The amount of gases and the total radioactivity resulting varied with the irradiation time and power, but no deviation of actual products was found, for the irradiation variations used.

b. Measurement of the non-radioactive species

The same gas chromatograph used by Laskaris was used in this study. It was necessary to establish the lower limits of sensitivity of the instrument since the experimental technique produced only very small samples. Ideally, the sample size for the instrument should be approximately 0.2 ml at atmospheric pressure. The pressure of the samples obtained in the experiment were in the range of 100 to 300 microns. The low pressure necessitated a sample volume of 2 ml. This was still much smaller than the ideal sample volume in number of molecules. This large sample volume with the reculting back diffusion during sample injection caused considerable baseline drift and poorly defined peaks.

^{*}A complete listing of the equipment used in presented is Appendix I.

c. Measurement of the radioactive species

Several attempts were made to trap the radioactive species separated by the gas chromatograph, both with and without isotopic dilution, but all were unsuccessful. Also, several attempts to measure the radioactive and chromatographic response simultaneously, as had been done by Laskaris, was unsuccessful. Apparently the small sample size with the resulting small amount of activity thwarted all efforts.

Kock and Grandy (6) described a method for separating xenon and krypton. Their method was modified and used in an attempt to separate these two gases from the other radioactive species. A pyrex glass column, approximately 20 by 60 mm was constructed and filled with 40/60 activated charcoal. The column interior and charcoal were evacuated to 10 mm. The column was connected to the reaction vessel as soon as possible after irradiation (approximately 15 minuses) and cooled to -196° C with liquid nitrogen. Valves on the reaction vessel were opened so the charcoal could absorb the gases for a period of 10 minutes. The reaction vessel was disconnected and helium forced through the charcoal at 400 ml/min. The column was removed from the liquid nitrogen and allowed to come to room temperature as the helium flow started. The effulent gases flowed through a 1/4 in tube and around a 2 by 2 inch scintillation crystal shielded by 2 inches of lead. The crystal acted as a chromatographic detector and its output was monitored by a count rate meter. The effluent

A method for trapping the gases was later developed but was not attempted with the gases separated with the gas chromatograph.

gases, after passing the scintillation crystal, were forced into a 3/16 by 6 inch activated charcoal trap cooled to -196°C. As soon as the first radioactive species had passed, as indicated on a chromatogram, the charcoal trap was changed. The charcoal containing the original sample was then heated rapidly to approximately 300°C. Another peak appeared almost immediately. The two peaks were subsequently identified as krypton and xenon, respectively. Gamma ray spectrometry measurements were made on the radioactive species remaining in the large column.

3. Results

a. Non-radioactive species

Figure 1 is a typical chromatogram measured by Laskaris.


Figure 2 shows a comparative chromatogram measured with the much smaller sample described above. The general agreement is excellent. The calculated proportions by volume per cent of the various hydrocarbons and hydrogen measured by chromatographic methods are shown in Table I. The values found in this study compare favorably with those found by Laskaris. The difficulty in making accurate quantative measurements on a chromatogram such as Figure 2 tend to make these results less reliable, however there is a significant amount of hydrocarbons in the gaseous mixture. This is of importance in view of the reports in the literature of the much higher content of hydrogen in the degradation products of polyethylene.


TABLE I

VOLUME PER CENT COMPOSITION OF VOLATILE PRODUCTS

• = 0	Laskaris *	Cole
Hydrogen	52.5	60.0
Ethane Ethylene	13.0	17
Methane	15.0	19.0
Propane	2.0	1.5
Cyclopropane	1.0	0.5
Propylene	3.5	trace
N-Butane	2.5	1.0
Isobutane	0.5	0.7
2-Butene	0.5	· -
1,3-Butadiene	0.5	trace
Acetylene	3.0	trace
Krypton	0.5	-
Xenon	0.5	

^{*}Average of several different runs; does not total 100%





b. Radioactive species


A chromatogram made with the scintillation crystal detector is shown in Figure 3. The first peak is quite broad but there is little doubt that it is krypton as shown by the gamma ray spectrum of the trapped gas (Figure 4). This spectrum was measured only 2 minutes after the trap was removed from the chromatograph and only 36 minutes after the irradiation had been completed. The second peak is much sharper as the result of the much higher temperature while it was being eluted. A gamma ray spectrum of this gas is shown in Figure 5. This measurement was made 51 minutes after the irradiation and 15 minutes after separation. Xenon and some of its decay products are clearly identifiable.

Gamma ray spectra of the separated gases taken at later times revealed no radioactive species other than the krypton or xenon and their decay products. Also no other radioactive species could be eluted from the original sample in 30 minutes at 300°C.

The first peak could possibly be made sharper and could have been eluted earlier at a somewhat higher temperature.

This was not attempted as the separation seemed adequate. Dal Nogare and Juvet discuss the effect of increased temperature on elution time and peak sharpness (6). A point of particular note about this separation is that the gases present were only those present as the result of the irradiation of the fuel.

Isotopic dilution was not necessary for the separation.






Figure 4. Gamma ray spectrum of krypton trapped after chromatographic separation. Measurement made approximately 36 minutes after irradiation and 2 minutes after separation.




Figure 5. Gamma ray spectrum of xenon trapped after chromatographic separation. Measurement made approximately 51 minutes after irradiation and 15 minutes after separation.

The eluted gases contained most of the activity of the original sample. Some activity still remained on the charcoal column, however. Gamma spectra of the remaining active species are shown in Figure 6. Initially only the decay products of xenon and krypton were identifiable. Later, two iodine isotopes were evident and still later, Figure 7, another iodine isotope is identifiable.

A list of all the radioactive species identified is presented in Table II. Half lives used in the identification were determined using the computer program Frantic II, developed at M.I.T.(7).

4. Discussion

a. Proposed mechanism of polyethylene degradation

The agreement with Laskaris on the amount of hydrogen present in the degradation products is good and quite different than that generally reported (1). This indicated that the mechanism proposed in the literature is incorrect or the conditions in this study are sufficiently different to cause a different reaction. The latter would appear to be the case as the conditions in this experiment are different than any found in the literature.

While no studies were undertaken to specifically identify the mechanism of the polyethylene degradation in the AG-201 reactor fuel, the following seems logical in view of the products formed. The AGN-201 fuel as mentioned earlier, contains the UO₂ evenly distributed throughout the polyethylene. When undergoinf fission, the massive fission products subject the polyethylene to more severe ionizing effects than other irradiation techniques. Scissions




Figure 6. Gamma ray spectra of species not eluted from charcoal during gas chromatographic separation. Spectrum 1 measured at 44 minutes after irradiation; spectrum 2 at 425 minutes after irradiation.




Figure 7. Gamma ray spectrum at species not eluted from charcoal during gas chromatographic separation. Measurement at 6 1/4 days after irradiation.

TABLE II

RADIOACTIVE SPECIES IDENTIFIED IN THE

REACTOR FUEL DECOMPOSITION PRODUCTS

A. Well identified isotopes

Isotope	Hali	-life
Kr ^{85m}	4.4	hours
Kr ⁸⁷	1.3	hours
Kr ⁸⁸	2.8	hours
Xe ^{133m}	2.3	days
xe ¹³³	5.3	days
Xe ¹³⁵	9.2	hours
	17.0	minutes
1 ¹³¹	8.0	days
Cs ¹³⁸	32.2	minutes

B. Less well identified isotopes (generally photopeak identification only-no supporting half life data)

Rb⁸⁸ Rb⁸⁹ Xe^{131m} Xe^{135m} I¹³³ I¹³⁵

along chains, breakage at side-chain junctions, and fur ther ionization of the newly formed fragments should all occur. Likely steps leading to the various hydrocarbons are:

1. Formation of radicals

2. Radical combination

$$H' + H' \longrightarrow H_2$$

$$-\dot{C} \cdot \dot{C} \cdot \dot{C}$$

$$-\dot{\zeta}-\dot{\zeta}-\dot{\zeta}-+CH_3^*\longrightarrow CH_4+-\dot{\zeta}-\dot{\zeta}-\dot{\zeta}-$$

$$\dot{\zeta}\cdot\dot{\zeta}-+H^*\longrightarrow -\dot{\zeta}-\dot{\zeta}-+H_2$$

4. Radical Dispreporation

$$-\dot{c} - \dot{c} \cdot \dot{c} - \dot{c} \cdot \longrightarrow \dot{c} - \dot{c}$$

The proposed steps in the reaction are very similar to those by several investigators, e.g., Miller et.al. (8), the principal difference being the larger amount of fragmentation. As stated earlier the more severe ionizing effect of the massive fission fragments can be expected to produce more fragments than perhaps gamma radiation used for most studies. There is some evidence that the proportional yield of hydrogen is dependent on the total radiation dose, decreasing at the higher doses. This would support the supposition that the difference of hydrocarbon content is due to the greater ionization effect of the fission fragments.

b. Separation of xenon and krypton in tracequantities

The separation of krypton and xenon by a gas-solid

chromatographic technique is not new. The excellent separation

of trace quantities of the two gases in such short time is

significant. The gamma spectra of the trapped gases are very

accurate aids in identification.

It should be pointed out however that an attempt to detect xenon as it eluted at about 95°C was not successful even though it was trapped in the same manner as described above. Apparently at that temperature the elution of the xenon is to slow to be practically detected. The higher temperature appears to be necessary to elute the xenon in the trace quantity used in this study.

c. Identification of halogens that may be present

Iodine and bromine were both suspected as being present
in the gaseous products. It had been hoped that separation of

the menon and krypton from the remaining volatile products would allow their identification. As expected, the more active decay products of short half life menon and krypton isotopes dominated the gamma ray spectra initially. Iodine was identified after most of the menon and krypton daughters had decayed sufficiently. No bromine could be identified even then. Bromine 83 is the only bromine isotope that could likely have been present at the time the later gamma spectra were measured, as the other shorter life isotopes would have decayed completely by that time. A more rapid sampling and separating technique may enable one to more accurately identify species other than krypton and menon.

Since iodine is detectable in the volatile products, the question immediately arises as to its form. While it is entirely possible that it could be molecular iodine, this seems quite unlikely in view of the large amount of atomic hydrogen and organic radicals likely present during irradiation. It logically appears that any iodine present would be in the form of hydrogen iodide or low hydrocarbon compounds such as methyl iodide.

5. Conclusions

a. The irradiation of polyethylene by an internal source, i.e., the UO₂ in the AGN-201 fuel, results in a lower ratio of hydrogen to hydrocarbon than irradiation using an external radiation source. This is apparently caused by the large number of highly ionizing fission particles which increase the actual ionizing dose to which the polyethylene is subjected during irradiation.

- b. The amount of xenon and krypton produced in the relatively small sample of AGN-201 fuel by short irradiation can be separated by solid-gas chromatography and detected by scintillation counting techniques without isotopic dilution.
- c. Iodine is present in the volatile products from the AGN-201 fuel.

eren e g f.a.

54 AB 11 VOW 9 NO

101 To 10

Section of the sectio

MATERIAL CONTRACTOR CO

and the second s

Transfer to the second second

SECTION . III

into a second to a second

print tau (

28

1 1 2 1

BIBLIOGRAPHY

- Bovey, F. A., The Effect of Ionizing Radiation on Matural and Synthetic High Polymers, Interscience Publishers, Inc., New York, 1958.
- Laskaris, G. C. A., <u>Simultaneous Gas Chromatographic and Activity Analysis of the Effluent Gases From the AGN-201</u> Reactor at the Naval Postgraduate School, Thesis, 1967.
- 3. Grissom, C. C., Analysis of the Radioactive Gas Generated by the AGN-201 Reactor at the United States Naval Postgraduate School, Thesis, 1965.
- 4. Bredderamm, R. T., <u>Radiosctive Gaseous Effluents from the Core of the AGM-201 Reactor at the United States Post-graduate School</u>, Thesis, 1966.
- 5. Kock, R. C. and Grandy, G. L., Nucleonics 18, 7, 76 (1960).
- Dal Nogare, S., and Juvet, R. S., Jr., Gas-Liquid Chromatography, Interscience Publishers, 1962.
- 7. Rogers, P. C., FRANTIC II, Technical Report No. 76, Mass. Institute of Technology, 1962.
- 8. Miller, A. A., Laroton, E. J. and Balwit, J. S., J. Physical Chemistry, 60, 599 (1956).
- 9. Allen, A. O., "Radiation Chemistry of Hydrocarbons" in Current Topics in Radiation Research, Vol IV, John Wiley and Sons, 1968.

APPENDIX I

List of Equipment Used

Gas Chromatograph: Fisher-Hamiltion Model 29 Gas Partitioner with a 6 ft. x 1/4 in. 30% Hexamethyl-phosphoramide (HMPA) on 60/80 mesh columnpack in position 1 and a 12 ft. x 1/4 in. composite two part column consisting of 5 ft. of uncoated 60/80 mesh columnpack followed by 7 ft. of 42/50 mesh activated molecular sieve 13% in position 2.

Recorder for Gas Chromatograph: Varian Model 14, 1 milivolt recorder.

Scintillation Crystal and Associated Equipment: 2 in. x 2 in. NaI(TI) crystal DuMont Type 6292 Photomultiplier Tube Hewlett-Packard Preamplifier Model Technical Associates Rate Meter Model FM 1

Vacuum System: A glass vacuum system with a CENCO HYVAV 2 pump and an oil diffusion pump. Pressure measurement: Thermocouple gauge caliberated to 1 micron. (Pressures actually used were lower than this and were estimated to be 10⁻⁴ mm when the meter was "pegged").

Reaction Vessel: A cylinderical aluminum container approximately 2 x 5 in. fitted with a vacuum stainless steel valve. (It proved necessary to attach a high vacuum stopcock to the valve in order to maintain the desired vacuum when the vessel was disconnected from the vacuum system for irradiation.)

Fuel: 8 grams of UO, in approximately 200 grams of polyethylene.

DOCUMENT CONT	ROL DATA - R &	k D	
(Security classification of title, body of abstract and indexing	ennotation must be e		
ORIGINATING ACTIVITY (Corporate author)	Za. REPORT SECURITY CLASSIFICATION		
Naval Postgraduate School			SIFIED
Monterey, California 93940		26. GROUP	
3 REPORT TITLE			
		. D	No. Co.
Identification of Volatile Reactor Fuel	Decomposition	Products	Dy Gas
Chromotography and Spectral Analysis			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
Mastay to the to Tune 1069 S. AUTHORIS (First hams, mitals Hills; Tast hame)			
S. AUTHORIS) (First hame, middle thillel, test hame)			
Leslie W. Cole			
6 REPORT DATE	78. TOTAL NO. OF	PAGES	76. NO. OF REFS
June 1968	31		9
SH. CONTRACT OR GRANT NO.	94. ORIGINATOR'S REPORT NUMBER(S)		
b. PROJECT NO.	i		
c.	9b. OTHER REPORT NO(5) (Any other numbers that may be assigned this report)		
d.			
10. DISTRIBUTION STATEMENT			
This document is subject to special export controls and each transmittal to foreign			
government or foreign nationals may be made only with prior approval of the			
Naval Postgraduate School.			
11. SUPPLEMENTARY NOTES 12. SPONSORING MILITARY ACTIVITY Naval Postgraduate School			
	Monterey, California 93940		
			33340
13. ABSTRACT			

The gases produced by irradiation of the polyethylene moderated fuel used in the AGN-201 reactor at the Naval Postgraduate School were analyzed for both radioactive and non-radioactive species. The hydrogen content of the gases is higher than that reported in the literature for the radio-induced degradation of polyethylene. Radioactive species identified are Kr^{85m}, Kr⁸⁷, Kr⁸⁸, Xe^{133m}, Xe¹³³, Xe¹³⁵, Xe¹³⁸, I¹³¹, and Cs¹³⁸. Trace quantities of krypton and xenon were successfully separated without isotopic dilution using gas-solid chromatography.

33

DD FORM 1473 (PAGE 1)

S/N 0101-807-6811

INCLASCIPIED
Security Classification

UNCLASSIFIED
Security Classification LINK A KEY WORDS ROLE WT ROLE ROLE WT Gas Chromatography Spectral Analysis Hydrogen Hydrocarbons Reactor Fuel Gas Core Xenon Krypton

DD FORM 1473 (BACK)

S/N 0101-807-6821